

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)
[Scholar Preferences](#) | [Sign in](#)


[Advanced Scholar Search](#)

Similarity flooding: A versatile graph matching algorithm and its application to **schema** matching

S Melnik, H Garcia-Molina... - Data Engineering, 2002 ... , 2002 - [ieeexplore.ieee.org](#)

... First, we **convert** the models to be matched into directed labeled graphs ... In our example, the **native format** of the schemas are ASCII files containing table definitions in SQL DDL ... Tables Employee and Department from **schema E** ¼ are represented in a similar manner in graph ¼ ...

[Cited by 626](#) - [Related articles](#) - [BL Direct](#) - [All 39 versions](#)

Native data representation: An efficient wire **format** for high-performance distributed computing

G Eisenhauer, FE Bustamante... - IEEE transactions on ... , 2002 - [computer.org](#)

... for transmission and "rehydrates" it at the receiver based on a runtime specified **schema** described in ... The XML costs represent the processing necessary to **convert** the data from binary to string form ... As is mentioned in Section 3, we transmit data in the **native format** of the sender ...

[Cited by 27](#) - [Related articles](#) - [Library Search](#) - [BL Direct](#) - [All 16 versions](#)

[CITATION] Exchange of CAD part models based on the macro-parametric approach

GH Choi, D Mun... - International Journal of CAD/CAM, 2002 - Citeseer

[Cited by 95](#) - [Related articles](#) - [All 17 versions](#)

Development and use of a Guideline Entry Wizard to **convert** text clinical practice guidelines to relational **format**.

JW Haies, CS Gadd... - Proceedings of the AMIA ... , 1997 - [ncbi.nlm.nih.gov](#)

Development and Use of a Guideline Entry Wizard to **Convert** Text Clinical Practice Guidelines to a ... The database **schema** presently consists of 24 tables and 85 unique attributes. ... The Guideline Wizard is built using the **native** forms and macro capabilities of Microsoft Access.A ...

[Cited by 7](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

ENAXS: efficient native XML storage system

KM Win, WK Ng... - Proceedings of the 5th Asia-Pacific web ... , 2003 - [portal.acm.org](#)

... ENAXS stores all XML documents in its **native format** to overcome the deficiencies of the conventional databases ... practice, they have a lot of limitations to deal with their rigid **schema** and XML ... **convert XML** queries into appropriate patterns understood by underlying query engines ...

[Cited by 5](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

Mapping Rules to **Convert** from ODL to XML-SCHEMA

AA de Sousa, JL Pereira... - 2002 - [computer.org](#)

... XML data; in the third section we present a set of transformation rules to **convert** an ODL **schema** to a XML-SCHEMA **schema**; finally, the ... data, namely relational (and object-relational) databases, object-oriented databases, semi-structured databases, **native XML** databases ...

[Cited by 4](#) - [Related articles](#) - [All 6 versions](#)

[PDF] VARLET/BABEL: Toolkit for Net-Centric Legacy Data Integration

Y Bychkov... - 3 rd International Workshop on ... , 2001 - [netcentriccomputing.org](#)

... information system. It uses the XSLT script (created from recorded user interactions by the integration workbench) to **convert XML** documents between **native XML schema** and interchange XML **schema**. On this ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

C 2 M: configurable chemical middleware

P van der Vel, HE Roosendaal, ... - Comparative and ..., 2001 - Wiley Online Library

... By compiling the modules and the core, one obtains a converter that can **convert** from and to each of ... The **native format** is a container for the data read from a foreign file ... It is governed by a very simple data **schema**, or ontology [6]. Each C2M ontology defines a structure known as ...

[Cited by 5](#) - [Related articles](#) - [All 16 versions](#)

Application of XML **Schema** and active rules system in management and integration of heterogeneous biological data

WM Shui, ... - Bioinformatics and Bioengineering, ..., 2003 - ieeexplore.ieee.org

... For example, the Lore database system [19] from Stanford was developed with XML data storage in mind. Others such as IBM's DB2 has **native** XML support on top of their relational database. ... DTD (Data Guide) **Convert** to XML Unified XML **Schema** ...


[Cited by 15](#) - [Related articles](#) - [All 6 versions](#)

A prototype XML-based implementation of an integrated'intelligent'neonatal intensive care unit

C Catley, ... - ..., 2003. 4th International IEEE EMBS Special ..., 2003 - ieeexplore.ieee.org

... Rigidly constraining the CDSS input data is possible with XML **Schema** 1.0, as it allows the ... Basically, there are two different methods of storing XML documents: a) **Convert** data to ... b) Store the XML documents in their **native format** using an XML enabled DataBase Management ...

[Cited by 13](#) - [Related articles](#) - [All 4 versions](#)

 [Create email alert](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

convert schema native format

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google